1		2	3
2.	D.D.U. Hospital	(i) 4.2.95 - 15.1.96 (ii) 23.4.96 - 9.5.96 (iii) 11.5.96 - 17.5.96 (iv) 28.5.96 - 24.8.96 (v) 26.8.96 - Till date	High tension generator is faulty. Action has been initiated to import this part.
3.	G.T.B. Hospital	No C.T. Scan Machine Installed.	
4.	D.H.S. Hospital	No. C.T. Scan Machine Installed.	
5.	S.G.M. Hospital	No. C.T. Scan Machine Installed.	Only one part is defective.
6.	G.B.P. Hospital	W.E.F. 16.11.96	
Municipal Corporation of Delhi			
1.	Swami Dayanand Hospital	C.T. Scan Machine is being installed by M/s. Siemens India on turn key basis but not handed over yet.	

[Translation]

Promotion in T.R.C.C.

2505. SHRI BHAKTA CHARAN DAS : Will the Minister of SURFACE TRANSPORT be pleased to state:

(a) the details of the SC/ST employees eligible for promotion before 09-12-93 as per the Recruitment and Selection Ruled, which were forwarded to the Ministry by Indian Road Construction Corporation through their letter dated 8.12.94;

(b) whether all these employees have been promoted following a decision taken in the meeting held with the Secretary on 22-05-95;

(c) if not, the reasons therefor;

(d) number of employees of general category promoted despite having no departmental vacancies during 1991-93;

(e) the reasons for not promoting employees of SC/ ST category during the said period;

(f) the contants of the enclosure 1.5 (Para-3) of Mittal Report and enclosure 5 of Agenda-131 and note No 1002/GMP/dated 26-04-93/31-10-95; and

(g) the time by which the information asked in the USQ No. 5651/5662 and 6677 dated 2.5.94 and 9.5.94 will be made available?

THE MINISTER OF SURFACE TRANSPORT (SHRI T.G. VENKATRAMAN) : (a) to (g). The information is being collected and will be laid on the Table of the House.

[English]

Flood Control in Assam

2506. DR. ARUN KUMAR SARMA : Will the Minister of WATER RESOURCES be pleased to state :

(a) whether any specific scheme has been formulated by the Union Government with regard to action Plan to deal with the problem of flood control in Assam;

(b) if so, the details thereof;

(c) whether the Government of Assam has submitted any short term and long term schemes to the Union Government for implementation; and

(d) if so, the response of the Union Government in this regard?

THE MINISTER OF WATER RESOURCES (SHRI JANESHWAR MISHRA) : (a) and (b). Union Government has formulated Master Plans for Flood Management in the Brahmaputra and Barak Valleys which also encompass ares in Assam. Two schemes, namely, the Pegladiya Multi-Purpose Project in the Brahmaputra Valley in Assam and the tipaimukh Multi-Purpose Project in the Barak Valley have been approved by the Technical Advisory Committee of the Ministry of Water Resources. Environmental Clearance of the Pagladiya Project has also been obtained for investment clearance by the Planning Commission. In respect of the Tipaimukh Project, technical clearance subject to certain conditions was granted during August, 1995. Further progress on this project is held up in the absence of an agreement amongst the States of Assam, Mizoram and Manipur.

(c) and (d). The Government of Assam has been submitting both short term and long term schemes costing Rs. 1 crore and above for technical and investment clearance. These have been approved from time to time. In addition to the funds alloted by the Planning Commission to the State Sector for implementation of the approved schemes, during the year 1996-97 a Central grant of Rs. 25 crores has also been allocated for implementation of priority schemes